



STAIN OUT

Dissolve Iron Stains From Pools



Not Regulated

HSNO Classifications – 6.1E, 6.3B, 8.3A

Citric Acid CAS NO – 77-92-9

FIRST AID – If medical advice is needed, have product container, label or SDS at hand. **IF ON SKIN (or hair)**: Remove all contaminated clothing immediately. Rinse with running water. Wash contaminated clothing before re-use. Seek medical advice if irritation or rash occurs. **IF IN EYES** – Rinse cautiously with water for several minutes; Remove contact lenses, if present and easy to do so. Continue rinsing. Seek medical advice immediately. **IF SWALLOWED** – Rinse mouth. Seek immediate medical attention if you feel unwell. **IF INHALED** – Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention. National Poisons Centre – 0800 764 766 IN EMERGENCY – Ring 111 then ask for ambulance for medical help or fire for major spills.

DIRECTIONS

1. Check pool pH is between 7.0 to 8.0.
2. Preferably allow chlorine level to drop below 0.4ppm.
3. Stain-Out can be added or sprinkled directly onto affected area. Take care with coloured marble or plaster pool surfaces.

POOL VOLUME

LITRES		
ml's OF STAIN OUT	1080	60,000
	900	50,000
	720	40,000
	540	30,000
	360	20,000
	180	10,000
KG'S OF STAIN OUT		
		1.2
		1.0
		0.8
		0.6
		0.4
		0.2

DANGER May be harmful if in contact with skin, inhaled or swallowed. Causes mild skin irritation and serious eye damage. Wash thoroughly all parts of body after handling. Wear protective gloves, clothing and eye/face protection and fire/flammable resistant/retardant clothing. Use personal protective equipment as required. Avoid release to the environment. In case of fire: Use water fog, foam or dry agent. If spillage occurs: Ensure appropriate protective equipment is worn (gloves, overalls, respirator, safety shield, boots). Keep combustibles and incompatible materials (as described in SDS) away from spilled material. Work up wind or increase ventilation. Sweep/vacuum up, but avoid generating dust. With a clean, dry shovel, place material into clearly labelled containers and seal for disposal. Following collection of spilled material, rinse area with copious amounts of water. Keep waste away from drains, sewer and waterways. Consult local waste authorities for appropriate disposal methods.

Pack sizes available
1kg

HamChem
Hamilton Chemicals Ltd
75 Ruffell Road, Te Rapa, Hamilton
Phone 07 974 4971
Web: www.hamchem.nz
Email: info@hamchem.nz